

Features

POLI-FLEX® IMAGE products are generally washable at 60°C and suitable for dry-cleaning and tumble drying, whereas for POLI-FLEX® STARFLEX, BUBBLE UP, 4212 GOLD / 4213 SILVER and 4290-4295 GLOSSY a washing temperature of max. 40°C is recommended. For POLI-FLEX® BRILLIANT we recommend only hand-wash. POLI-FLEX® BUBBLE UP is not suitable for dry-cleaning and tumble drying.

Nylon and textiles with hydrophobic impregnation are not suitable for heat transfer. In this case we recommend using POLI-FLEX® NYLON.

Guarantee for a secure and long-lasting bond of POLI-FLEX® IMAGE is only given when following the specified temperature and pressure conditions. We recommend evaluation on test material.

POLI-FLEX® IMAGE are transfer films with special optical effects, which are covered with a **self adhesive polyester liner, enabling a reposition.**

	Cotton	Cotton / Polyester (Mixture)	Polyester / Acrylic (Mixture)
POLI-FLEX® IMAGE	160°C 15 sec. 3,5 bar (POLI-FLEX® BUBBLE UP only 3,0 bar)	160°C 15 sec. 3,5 bar (POLI-FLEX® BUBBLE UP only 3,0 bar)	160°C 15 sec. 3,5 bar (POLI-FLEX® BUBBLE UP only 3,0 bar)

Dimensions	500 mm x 10 m, 500 mm x 25 m Other dimensions and special colours available on request. * No Standard dimensions. Conversion after placed order. Extended delivery time.
------------	--